



# SAFETY DATA SHEET

**Product Name** : **INTERMATT**  
**SDS Ref. No** : **SDS-1021**  
**Revision** : **11**  
**Date of issue** : **07.01.2026**

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Name** : **INTERMATT**  
**Product Description** : Water-based matt emulsion paint for interior  
**Recommended Use** : Decorative coating for building surfaces

**Company Identification** : **SKK (S) PTE LTD**  
No 14 Pandan Road, Singapore 609262  
**Emergency Telephone Number** : (65) 6 274 0020  
**Fax Number** : (65) 6 6278 0060  
**Website** : www.skk.com.sg

## 2. HAZARDS IDENTIFICATION

### **GHS Classification:**

#### **Physical Hazard**

Not classified as a physical hazard under GHS criteria

#### **Health Hazard**

Sensitization, Skin Category 1  
Acute toxicity, oral Category 5

#### **Environmental Hazard**

Not classified as a environmental hazard under GHS criteria

### **GHS Pictogram**



### **Signal Word**

Warning

### **Hazard statements**

H317: May cause an allergic skin reaction  
H303: Maybe harmful if swallowed

### **Precautionary statements**

P 261 Avoid breathing dust /fume /gas /mist /vapours/ spray.  
P272: Contaminated work clothing should not be allowed out of the workplace  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

### **Response**



# SAFETY DATA SHEET

**Product Name** : INTERMATT  
**SDS Ref. No** : SDS-1021  
**Revision** : 11  
**Date of issue** : 07.01.2026

P301+ P317.:IF SWALLOWED: Get medical help.

P302+P352: IF ON SKIN: Wash with soap and water

P333 + P317: If skin irritation or rash occurs: Get medical help.

P321 : Specific treatment (Rinse the affected area with soap and water and repeat until all the paint is removed)

P362 – Take off contaminated clothing

P364 – And wash it before reuse.

## **Storage**

None

## **Disposal**

P501: Dispose of contents/container in accordance with all local regulation.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

This product does not contain any substances presenting to physical, health or environmental hazard

CHEMICAL NAME	CAS NO.	CONC.
Water	7732-18-5	22 – 28 %
Titanium dioxide	13463-67-7	3 - 4 %
Vinyl Acetate Acrylic Polymer	79426-47-4	15 – 20 %
Calcium carbonate	471-34-1	20 – 30 %
Talc Powder	14807-96-6	5 -10 %
Kaolin Powder	1332-58-7	3 - 5 %
Additives	-	0.5 – 3 %

## **4. FIRST AID MEASURES**

### **Inhalation**

: Supply to fresh air and call for medical assistance immediately.  
If not breathing, give artificial respiration, if breathing is difficult, give oxygen.  
Keep at rest.

### **Skin Contact**

: Wash skin with mild soap and water immediately. Remove all contaminated clothes and shoes. Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.

### **Eye contact**

: In case of eye contact, immediately rinse with clean water for at least



# SAFETY DATA SHEET

<b>Product Name</b>	<b>: INTERMATT</b>
<b>SDS Ref. No</b>	<b>: SDS-1021</b>
<b>Revision</b>	<b>: 11</b>
<b>Date of issue</b>	<b>: 07.01.2026</b>

15 minutes. Get medical attention if irritation persists.

## Ingestion

: Do not induce vomiting. Rinse mouth with plenty of water.  
Get immediate medical advice/attention immediately.

## 5. FIRE - FIGHTING MEASURES

### Suitable extinguishing media

: Alcohol resistant foam, Carbon dioxide, or dry chemical type.

**Specific hazards arising from the chemical:** Combustion products may include and are not limited to:  
Carbon monoxide and Carbon dioxide.

### Special Protective Equipment for Fire Fighter:

- Wear full protective clothing and NIOSH – approved self-contained breathing apparatus.
- Use water spray to cool fire-exposed surfaces and to protect personnel. If a leak or spill has not ignited, use water spray to disperse the vapours.
- Avoid spraying water directly into storage containers.
- Closed containers may explode when exposed to extreme heat.
- Avoid spreading burning liquid with water, isolate liquid.
- Do not allow runoff from fire fighting to enter drains or watercourses.
- If possible, isolate product from heat, electrical equipments, sparks and open flames.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- Avoid contact spilled material with eyes. Do not inhale vapours.
- Wear appropriate protective equipments, eg. Safety shoes, gloves, safety glasses and respirators.

### Environmental Precautions

- Do not let spilled material enter drains. Do not flush into surface water of sanitary sewer system
- Eliminate sources of ignition.
- Contain spilled material with sand or other non-combustible absorbent materials
- Inform authorities if spilled material has enter a watercourse or sewer or has contaminated soil or gound.

### Methods and materials for containments and Cleaning up

- Clean up all spills immediately.
- Absorb spill with absorbent and inert material, then place in container.
- Disposal in accordance to local/national regulations.

## 7. HANDLING AND STORAGE



# SAFETY DATA SHEET

**Product Name** : INTERMATT  
**SDS Ref. No** : SDS-1021  
**Revision** : 11  
**Date of issue** : 07.01.2026

## Precautions for safe handling

Avoid breathing gas/fumes/vapour. Avoid contact with skin and eyes. Take precautionary measures against static discharge. Use appropriate personal protective equipment as recommended in section 8.

Keep out of reach of children. Handle containers with care. Open slowly in order to control possible pressure release. Protect from extreme of temperature.

## Conditions for safe storage, including any incompatibilities

Keep containers tightly closed.

Containers that are opened should be properly resealed and kept upright to prevent leakage.

Store in cool, dry and well-ventilated place at temperature between 20°C to 40°C away from heat and sources of ignition.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters/Occupational Limits

No exposure limit value known but if this product contains ingredients with exposure limits, all personnel and workplace atmosphere must ensure work carry out in an adequate ventilated condition.

Wear full protective clothing and use of NIOSH – approved respirators with organic vapour cartridges is recommended.

### Appropriate Engineering Control Measures

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

Ensure eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

**Eye protection** : Use of safety glasses with side shield is recommended.

**Hand protection** : Chemical resistance gloves is recommended.

**Skin and body protection** : Wear chemical resistant clothes and safety shoes when handling product is recommended

**Respiratory protection** : Use suitable breathing apparatus is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Liquid  
Color : Depends on specified colours  
Odor : Mild odour  
PH : 8 – 10  
Melting point/Freezing point : No data available  
Boiling point/boiling range : No data available  
Flash point : Not applicable (Aqueous system)  
Evaporation rate : No data available



# SAFETY DATA SHEET

**Product Name** : INTERMATT  
**SDS Ref. No** : SDS-1021  
**Revision** : 11  
**Date of issue** : 07.01.2026

Flammability : No applicable  
Lower and upper flammability limit : No data available  
Vapour pressure : No data available  
Vapour density : No data available  
Specific gravity : 1.34 – 1.47 ± 2% (Depend on colours)  
Solubility : Yes  
Partition coefficient : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity : 75 -95 KU/25°C

## 10. STABILITY AND REACTIVITY

### Reactivity

No dangerous reaction known under condition of normal use

### Chemical stability

Stable under ordinary conditions of use and storage

### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reaction will not occur.

### Conditions to avoid

Keep away from oxidising agents, strong alkaline and strong acidic material to prevent exothermic reactions.  
Avoid Heat, open flame and other ignition sources.

### Hazardous decomposition products

Carbon Dioxide and Carbon monoxide , oxides of nitrogen and smoke may be produce when exposed to high temperature.

## 11. TOXICOLOGICAL INFORMATION

There is no data available on the products itself.

Toxicological information of substances:

### Acute Oral toxicity

May be harmful if swallowed

### Acute dermal/skin toxicity

May be harmful when in contact with skin

### Acute inhalation toxicity

May caused mild irritating to eyes and respiratory tract if inhaled. May also possible cause mild headaches and mild dizziness and may have other central nervous system effects.

### Skin Corrosion or Irritation

May cause mild skin irritation



# SAFETY DATA SHEET

<b>Product Name</b>	<b>: INTERMATT</b>
<b>SDS Ref. No</b>	<b>: SDS-1021</b>
<b>Revision</b>	<b>: 11</b>
<b>Date of issue</b>	<b>: 07.01.2026</b>

## Serious eye damage or Irritation

May cause mild eye irritant

## Respiratory or skin sensitisation

May cause mild irritating to eyes and to respiratory tract

## Germ cell mutagenicity

No information available on the product

## Carcinogenicity

Titanium Dioxide

Titanium Dioxide is being classified by The International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B). This is being based on inadequate evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

## Reproductive toxicity

No information available on the product

## Specific Target Organ Toxicity (STOT)- Single Exposure

No information available on the product

## Specific Target Organ Toxicity (STOT)- Repeated Exposure

No information available on the product

## Asphyxiation hazard

May be mild harmful if swallowed and enters the airways

## 12. ECOLOGICAL INFORMATION

### Toxicity

Aquatic toxicity – No data available

### Persistence and degradability

Readily biodegradable

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Result of PBT and vPvB assessment



# SAFETY DATA SHEET

**Product Name** : INTERMATT  
**SDS Ref. No** : SDS-1021  
**Revision** : 11  
**Date of issue** : 07.01.2026

No data available

Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

This product should not be allowed to enter drains and watercourses.

Preferred methods of waste disposal are incineration or biological treatment in federal/state approved facility. Empty containers should be recycled or disposed through an approved waste management facility or licensed contractor.

All federal, state and local environmental regulations shall be observed

## 14. TRANSPORT INFORMATION

Transport to be accordance with ADR/RID for road/rail, IMDG for sea and IATA for Air.

### LAND TRANSPORT

Not classified as Dangerous Goods by the European Agreement criteria concerning the international carriage of Dangerous Goods (ADR) by Road & Regulations concerning the international carriage of Dangerous goods (RID) by Rail.

### SEA TRANSPORT

Not classified as Dangerous Goods by the International Maritime Dangerous Goods Code (IMDG Code) criteria for transport of Sea.

### AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of International Air Transport Association (IATA) Dangerous Goods Regulations for transport by Air.

## 15. REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this product.

### Applicable national regulations :

#### Standards on Hazard communication for hazardous chemicals and dangerous goods

SS-586: Part 1: 2021- Transport and storage of dangerous goods

SS-586: Part 2:2022 – GHS of classification and labelling of chemicals (Singapore's adaptation)

SS-586: Part 3: 2022- Preparation of safety data sheet

**MOM : Workplace Safety and Health Act & Workplace Safety and Health (General Provisions) Regulations**

**NEA: Environmental Protection and Management Act & Environmental Protection and management (Hazardous Substances) Regulations**

**SCDF : Fire Safety Act & Fire Safety(Petroleum and Flammable Materials) Regulations**



# SAFETY DATA SHEET

<b>Product Name</b>	<b>: INTERMATT</b>
<b>SDS Ref. No</b>	<b>: SDS-1021</b>
<b>Revision</b>	<b>: 11</b>
<b>Date of issue</b>	<b>: 07.01.2026</b>

**SPF : The Arms and Explosive Act, the Arms and Explosives (Explosives) Rules, and the Arms and Explosives (Explosive Precursors) Rules**

## 16. OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate and the source of information which we have obtained is believed to be reliable. However, we cannot assume any liability for the accuracy or completeness of this information. Due to the conditions of handling, storage, use and disposal of this product are beyond our control, we shall not be liable for any damages incurred by the use of this product.

All materials may present unknown hazards and should be always used with caution.

This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable